

SG80 single station tube end forming machine







Use the maximum size:Φ80*3.0mm,Maximum working stroke:150mm

Product features:

1.It can be used in the processing of pipe ends, diameter, drum, pier and other shapes

2.The machine structure is compact and firm, with oil pressure power, stable job, high yield, low vibration and low noise

3.Hydraulic molding machine, automatic pipe section using linear guide as the carrier, make the operation without any abrasion, product good repeatability, applicable to iron pipe, furniture, automobile air conditioner, the end of the fuel line, etc.

XS-80 Parameters:

project	Unit	XS-80
Maximum applicable carbon steel pipe material	mm	Φ80*3.0
Maximum working stroke	mm	150
Work Speed	Mm/sec	100/8-10
Maximum oil pressure	Mpa	16
motor power	kw	7.5
Oil Pump displacement	L	27
Machine weight	kg	1800
Machine size	mm	2900*700*1700

Product description:

1.Microcomputer control, hydraulic drive.

2.The mobile pedal switch has automatic, close stop, close stop three kinds of functions, high security.

3.For shrinkage pipe, expansion tube, blunt, beat a variety of ways, such as processing, processing including concave and convex section shape, long, flat, square, Rio tinto, oblique, V, and his mouth elbow, etc., in accordance with the user change mould processing products.

4.It is easy to change the mould and make it easy to produce. The bed structure is compact, strong, with oil pressure power, stable job, high yield, low vibration and low noise. It can be used for the forming of pipe ends, enlargement, drum, upset and other shapes. Applicable pipe fittings, car tubing, air pipe, water pipe, and air conditioning pipe connecting parts in various shapes.

Product description:

1.Microcomputer control, hydraulic drive.

2.The mobile pedal switch has automatic, close stop, close stop three kinds of functions, high security.

3.For shrinkage pipe, expansion tube, blunt, beat a variety of ways, such as processing, processing including concave and convex section shape, long, flat, square, Rio tinto, oblique, V, and his mouth elbow, etc., in accordance with the user change mould processing products.

4.It is easy to change the mould and make it easy to produce. The bed structure is compact, strong, with oil pressure power, stable job, high yield, low vibration

and low noise. It can be used for the forming of pipe ends, enlargement, drum, upset and other shapes. Applicable pipe fittings, car tubing, air pipe, water pipe, and air conditioning pipe connecting parts in various shapes.

After-sales service:

1.Warranty period: We guarantee machine quality for one year, during this year, if spare parts of the machine were damaged, we can send the component to the customer by DHL, TNT freely.

2.Our factory can send our engineer to the customer's factory install, commission and training freely. The customer provide the double trip tickets, food and accommodation for our engineer. The customer also can send the engineer to our factory to learn the operation and maintains freely.

3.Our factory provide the service for the customer forever, if the customer need operation help, can contact us by Skype,Whatsapp,WeChat, Email and Telephone at any time, we provide 24 hours on-line service.

Zhangjiagang City Cedar Technology Co., Ltd

Contact :Shelly
DATE :2019-01-09
Email:Shelly@pipecutbend.com
Whatsapp:+8618021646346
WeChat:18021646346